


| | | |
|---|--|--|
|  | <p align="center">SOLICITATION AMENDMENT</p> <p>Solicitation Number: <u>RFP YH07-0010</u> Amendment Number One Solicitation Due Date: <u>September 11, 2007, 3:00 PM</u> (MST)</p> | <p>Arizona Health Care Cost Containment System (AHCCCS) 701 East Jefferson – MD 5700 Phoenix, Arizona 85034</p> <p>Contracts Manager: Pat Watkinson E-mail: patricia.watkinson@azahcccs.gov</p> |
|---|--|--|

A signed copy of this amendment must be returned with the proposal and received by AHCCCS on or prior to the Solicitation due date and time. This solicitation is amended as follows:

1. RFP CORRECTION:

Scope of Work 2.3, Contract Phases and Schedule

To the extent that there are any delays, the contract schedule may be adjusted accordingly. However, it is AHCCCS' desire to implement the replacement system no later than ~~July 1, 2008~~ **12 months after the contract start date.**

2. CORRECTION of a MISUNDERSTANDING

The following statement concerns the latest date you may submit questions. **Questions are accepted at any time up to August 29, 2007.** Questions will be answered periodically by a Solicitation Amendment throughout the procurement period.

QUESTIONS CONCERNING THIS SOLICITATION SHALL BE SUBMITTED TO THE SOLICITATION CONTACT PERSON NAMED ABOVE, IN WRITING EITHER VIA TELEFAX OR E-MAIL (PREFERRED) **by AUGUST 29, 2007**

3. QUESTION

Question 1

The time line in the RFP has implementation on July 1, 2008. If work starts January 2008, that leaves 90 days for actual implementation work other than testing and that seems very difficult.

Answer 1

Please see the RFP Correction above. It is our intent to implement within 12 months of the contract start date. We expect to be able to do user acceptance testing 270 days after the start of the contract. This does not mean that you have to be totally completed; you can still be doing work in the production environment.

Question 2

The RFP indicates a subsystem replacement for only a fee for service portion of the PMMIS. Yet the RFP requirements matrix seems on par with complexities we've seen for full blown application replacements on MMIS in total. If the requirements matrix has that much functionality required, the timelines do seem problematic.

Answer 2

It is the claims processing sub-system that we want proposed to AHCCCS in this RFP. However, our expectation is that the claims system will be able to process a claim. You will be responsible for designing a system that can interface with the PMMIS system to utilize the source data for the other sub-systems such as Members, Providers, etc. The additional system information was given to assist the contractor in designing interfaces.

PLEASE REMEMBER TO ATTEND THE PROPOSER'S CONFERENCE.

1:00 PM – 4:00 PM August 9, 2007
701 East Jefferson, Phoenix, AZ 85034
Gold Room, 3rd floor, AHCCCS

| | | | |
|---|------|---|--|
| Offeror hereby acknowledges receipt and understanding of this Solicitation Amendment. | | This Solicitation Amendment is hereby executed this 30th day of July 2007, in Phoenix, Arizona. | |
| | | SIGNED COPY IN FILE | |
| Signature | Date | | |
| | | | |
| Typed Name and Title | | Michael Veit | |
| | | Contracts and Purchasing Administrator | |
| Name of Company | | | |